

FRIES



NEW!



JERRYCAN SLT SERIES

EN

20 | 25 | 30

Stability and lightweight

Ergonomic handle

Stacking cams

Good residual emptying

High stacking stability

The corners of the jerrycans are arranged tangentially, making it possible to reduce the weight without losing stability.

Engraving insert possible

Patented stability corners

Anti elephant feet

Fill level mark

View stripe possible

Accessories

- » Screw cap SK60 or SK70, according to EN 12713-2000
- » Filling opening SK60x6 (inner diameter 48 mm) or SK70x6 (inner diameter 57 mm), according to EN 12712-2000
- » Degassing valve available on request
- » Tamper-evident protection

The advantages at a glance

- » Guaranteed residue emptying even in inclined pouring
- » Full use of the filled goods
- » Universal application thanks to extensive hazardous goods approvals
- » Design conforming to food regulations acc. to EC 1935/2004, EC 2023/2006 and EC 10/2011 available in the respective valid version
- » Version made of material tested and approved for pharmaceuticals/medicine on request
- » Special colours on request

Weights:

Litres	light	medium	heavy
20l	700g	800g	900g
22.5l	750g	850g	950g
25l	800g	900g	1000g
27.5l	900g	1000g	1100g
30l	950g	1050g	1150g
32.5l	1000g	1100g	1200g



And the winner is ...

FRIES offers excellent packaging solutions.

Our products are certified and, for instance, already won the following awards:



Industrial packaging

All advantages of FRIES industrial packaging:

www.fries-kt.com



National award Smart Packaging 2016



FRIES Kunststofftechnik GmbH

Schützenstraße 19, 6832 Sulz, Austria

Phone: +43(0)5522 4935 202, Fax: + 43(0)5522 4935 209

info@fries.at, www.fries-kt.com



Packaging



Gastro



Industry racks



Moulding